

UNCLASSIFIED

Best Available Copy

AD 203 252

*Reproduced
by the*

**ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA**



20030707041

UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

14070708008

US ARMY MEDICAL RESEARCH LABORATORY

FORT KNOX, KENTUCKY

REPORT NO. 481

HEMODYNAMIC ALTERATIONS DUE TO SALMONELLA TYPHOSA ENDOTOXIN WITH SPECIAL REFERENCE TO THE CORONARY VASCULAR BED


Capt E. D. Frohlich, MC
J. B. Scott, M.S.
E. S. Dooley, Ph.D.

XEROX


Cold Injury Studies
Task 08
Environmental Medicine
USAMRI Project No. 6X64-12-001

UNITED STATES ARMY
MEDICAL RESEARCH AND DEVELOPMENT COMMAND 29 May 1961


ASTIA




APPROVED:


THOMAS R. A. DAVIS, M.D.
Director, Environmental Medicine
Division

APPROVED:


FLOYD F. ODELL, Ph.D.
Technical Director of Research

APPROVED:


HAROLD N. GLASCOTT JR.
Colonel, Medical Corps
Commanding

HEMODYNAMIC ALTERATIONS DUE TO SALMONELLA TYPHOSA ENDOTOXIN WITH SPECIAL REFERENCE TO THE CORONARY VASCULAR BED

L INTRODUCTION

The general physiological and more detailed hemodynamic alterations produced in animals by bacterial endotoxins have been reviewed by Thomas (1) and Gilbert (2). It has been shown that following the administration of endotoxin there is a fall in cardiac output which is accompanied by a decrease in auricular filling. Despite the extensive literature on the hemodynamic effects produced by endotoxin in various vascular beds, little attention has been given to the study of its action on the coronary circulation.

In Gilbert's review (2), it was held that there was "no evidence to date to support the view that endotoxin had any important effect on myocardial function." More recently, however, Maxwell and his associates (3) demonstrated by catheterization techniques that there was a decrease in the coronary blood flow and cardiac efficiency associated with an increase in myocardial oxygen utilization following endotoxin. There was, however, no significant change in the calculated resistance to flow through the coronary vascular bed.

This paper reports changes in resistance to flow through the coronary vascular bed of the dog produced by local administration of the endotoxin of Salmonella typhosa 0901. Resistance was calculated from measurement of coronary perfusion pressure with the rate of blood flow to the coronary vascular bed held constant. The heart was beating but performing no external work.

II. MATERIALS AND METHODS

The study included a total of 20 mongrel dogs ranging in weight from 10 to 18 kg. The animals were anesthetized with sodium pentobarbital (35 mg/kg), and artificially ventilated through a tracheal cannula. The heart was exposed through the right fourth intercostal space. Heparin sodium (5 mg/kg) was injected intravenously and plastic cannulae were introduced into the superior and inferior venae cavae by way of the right atrium (Fig. 1, page 2). A rotating disc oxygenator,¹

¹ Kay-Cross disc oxygenator, Pemco Inc., Cleveland 31, Ohio.

Report No. 481
USAMRL Project No. 6X64-12-001-08

ABSTRACT

HEMODYNAMIC ALTERATIONS DUE TO SALMONELLA TYPHOSA
ENDOTOXIN WITH SPECIAL REFERENCE TO THE
CORONARY VASCULAR BED

OBJECT

The experiments were designed to determine the effect of gram-negative bacterial endotoxin on the coronary vascular bed of the dog.

RESULTS

When endotoxin was injected into the coronary arteries of the beating, non-perfusing dog heart under conditions of constant coronary blood flow, there was a progressive decrease in the coronary vascular resistance and total peripheral resistance.

CONCLUSIONS

This study provides evidence which indicates that gram-negative bacterial endotoxins can exert an important effect on coronary vascular resistance and total peripheral resistance.

RECOMMENDATIONS

The effect of endotoxin on coronary vascular resistance should be studied in the denervated, regitimized, and antihistamine treated dog heart to ascertain more precisely the mode of action of endotoxin on the coronary vasculature.




Fig. 1. Schematic diagram of the cardio-pulmonary bypass and coronary perfusion systems.

blood heat exchanger,² and blood pump³ were interposed between the cannulae and the left femoral artery, and the body was perfused with oxygenated blood at 37°C, at the rate of 80 to 90 ml/kg/min. At this point in the procedure positive pressure respiration was terminated. Coronary venous blood was collected from the right side of the heart with a cannula threaded through the tricuspid valve and this blood was returned to the venous limb of the perfusion circuit. Left heart blood (from arterioluminal, Thebesian, and bronchial vessels) was collected with another cannula inserted into the left atrium and left ventricle through a superior pulmonary vein.

The coronary vascular bed was perfused at a constant flow rate with a second pump⁴ interposed between the right femoral artery and the ascending aorta (Fig. 1). After setting the pump in motion, the aorta and pulmonary artery were cross-clamped approximately 3 cm from the heart.⁵ This diverted the output of the pump through the entire coronary vascular bed. Hence, coronary perfusion was never interrupted. Perfusion pressure was measured with a resistance wire pressure transducer. The external carotid artery was needled for measurement of systemic arterial pressure. The electrocardiogram was recorded throughout the experiment.

In ten dogs, 0.6 mg/kg of purified lipopolysaccharide (endotoxin) from S. typhosa 0901⁶ was injected in one bolus of fluid, usually less than 2 ml, into the coronary perfusion circuit. Coronary perfusion pressure and systemic arterial pressure were monitored over the succeeding 30 minutes with a two-channel direct writing recorder.⁷ In a second series of ten dogs, 1 ml of pyrogen-free water was injected into the coronary perfusion circuit and pressures were likewise recorded for the subsequent 30 minute period.

²Blood Heat Exchanger, Ward Laboratories, Durham, North Carolina.

³Sigmamotor Pump, Model T-65, Sigmamotor Inc., Middleport, New York.

⁴Sigmamotor Pump, Model T-6, Sigmamotor Inc., Middleport, New York. The pump was independent of pressure over the ranges encountered and was pre-calibrated to deliver ten different rates of flow.

⁵Post-mortem tests showed the aortic valves to be competent to pressures in excess of those encountered.

⁶Bacto Lipopolysaccharide, Difco Laboratories, Inc., Detroit 1, Michigan.

⁷Sanborn Model 60, Twin-Viso, Sanborn Company, Waltham, Massachusetts.

In five of the ten experimental animals, blood was simultaneously withdrawn from the coronary artery, coronary vein, and pump-oxygenator before and 30 minutes following the injection of endotoxin. These blood samples were analyzed for oxygen and carbon dioxide content, serum sodium and potassium concentrations, hematocrit and hemoglobin concentration by the Van Slyke manometric method, flame photometry, microcapillary centrifugation, and photometric method, respectively.

Since vena cava and right heart pressures remained atmospheric, the resistance to flow through the coronary vascular bed and systemic circulation were calculated by dividing perfusion pressure by the rate of blood flow and was expressed as mm Hg/ml/min.

The proportion of time spent by the ventricles in systole was estimated by using the following formula: per cent of time spent in systole = $\frac{QT \text{ interval} \times \text{number beats per min}}{60} \times 100$.

At the conclusion of the experiments the animals were sacrificed and subjected to gross and microscopic pathologic examination.

III. RESULTS

Coronary arterial pressure and resistance. There was no significant change in the coronary arterial pressure and resistance in the control animals given pyrogen-free water (Fig. 2). Following the injection of endotoxin (Fig. 2) coronary arterial pressure progressively decreased in nine dogs and remained essentially unchanged in one. The average arterial resistance prior to the administration of endotoxin was 0.95 mm Hg/ml/min, and resistance values at 5, 10, 15, 20, 25, and 30 minutes following endotoxin were 0.91, 0.89, 0.81, 0.75, and 0.71 mm Hg/ml/min, respectively. The average resistance at 30 minutes was 25 per cent less than the average control value ($p < 0.01$).

Systemic arterial pressure and resistance. There was no change in the systemic arterial pressure or calculated resistance in the control animals given pyrogen-free water (Fig. 3, page 6). Systemic arterial pressure decreased in nine animals and remained essentially unchanged in one dog following administration of endotoxin (Fig. 3). The average control pressure was 65 mm Hg. Thirty minutes after endotoxin, the pressure had fallen to an average of 47 mm Hg. This represented a 29 per cent decrease in total peripheral resistance ($p < 0.01$).

Electrocardiographic changes. The effect of endotoxin upon heart rate and QT interval were of importance because they permitted an




Fig. 2. (left) The effect of 1 ml of pyrogen-free water on the coronary vascular pressure in ten control animals. Heavy line represents the mean pressures. Coronary blood flow (average) 102 ml/min. (right) The effect of S. typhosa endotoxin (0.6 mg/kg) on the coronary vascular pressure in ten experimental animals. Heavy line represents the mean pressures. Coronary blood flow (average) 98 ml/min.




Fig. 3. Systemic vascular pressure changes in ten experimental animals following administration of *S. typhosa* endotoxin (0.6 mg/kg) and in ten control animals following administration of 1 ml of pyrogen-free water. Numbers represent calculated values for total peripheral resistance.

inference to be made regarding coronary vascular transmural pressure. Using the QT interval and heart rate it was found that there was no significant difference in the per cent of time and ventricles spent in systole (Table I). The electrocardiograms of those animals given endotoxin revealed non-specific T-wave abnormalities and premature ventricular contractions. Two dogs developed complete heart block concomitantly with massive intrapleural hemorrhages. Another animal developed intermittent runs of various types of intraventricular conduction defects. These latter animals had myocardial hemorrhages.

Myocardial metabolism. There were no significant changes in arterial and venous hematocrit, in the concentrations of sodium and potassium, and hemoglobin following endotoxin. The A-V difference for oxygen and carbon dioxide both increased slightly (0.8 volumes per cent and 1.8 volumes per cent, respectively) but neither increase was statistically significant (Table II).

TABLE I
THE EFFECT OF INTRACARDIAC INJECTION OF ENDOTOXIN AND PYROGEN-FREE
WATER ON THE PER CENT OF TIME SPENT BY THE VENTRICLES IN SYSTOLE*

Dog No.	CONTROL				Dog No.	ENDOTOXIN			
	Heart Rate	Per Cent Time in Systole	Heart Rate	Per Cent Time in Systole		Heart Rate	Per Cent Time in Systole	Heart Rate	Per Cent Time in Systole
	0 min	30 min	0 min	30 min		0 min	30 min	0 min	30 min
1	120	150	59	67	1	125	140	56	51
2	120	140	74	70	2	140	140	56	56
3	120	130	40	39	3	140	130	65	68
4	150	160	45	46	4	120	200	40	46
5	80	65	43	43	5	140	140	51	51
6	120	130	56	56	6	140	70	51	39
7	140	135	65	67	7	160	160	64	64
8	100	80	53	53	8	107	55	43	32
9	120	135	48	47	9	165	155	69	72
10	140	130	65	66	10	140	130	70	72
Average	126	117	56	55		138	132	56	55

*Calculation: per cent of time spent in systole = $\frac{OT \text{ interval} \times \text{heart rate}}{60} \times 100$

TABLE II
CORONARY OXYGEN CONSUMPTION AND CARBON DIOXIDE PRODUCTION
IN DOGS TREATED WITH SALMONELLA TYPHOSEA ENDOTOXIN

Dog No.	A-V Oxygen			A-V Carbon Dioxide		
	Control	Exptl.	Dif.	Control	Exptl.	Dif.
4	9.9*	9.8	-0.1	10.1	10.9	0.8
5	7.0	7.3	.3	6.4	6.6	0.2
6	8.9	9.4	0.5	3.0	5.3	2.3
7	2.5	4.0	1.5	1.7	6.8	5.1
8	6.6	8.2	1.6	5.2	6.0	0.8
Average	7.0	7.8	0.8	5.3	7.1	1.8

*Volume per cent.

Post-mortem examinations. Free blood was found at autopsy in all body cavities of animals treated with endotoxin. There was passive congestion in the liver and spleen. The mucous membranes of the gall bladder, stomach, and spleen were edematous and hemorrhagic. Omental vessels were markedly dilated. Glandular tissues, including the spleen, pancreas, adrenals, and testes were hemorrhagic and congested. There were areas of hemorrhage and petechiae over the surface of the heart. There were no abnormalities of these types found on examination of animals injected with pyrogen-free water.

IV. DISCUSSION

These studies show that the injection of the endotoxin of S. typhosa 0901 into the coronary vascular bed of the dog perfused at a constant flow results in a progressive decrease in coronary vascular resistance. This resistance decrease probably results from active vasodilation either due to a direct effect of the endotoxin on vascular smooth muscle or to an indirect effect through some remote action of the endotoxin.

A decrease in vascular resistance can be due either to vasodilation or a decrease in blood viscosity. However, since hematocrit and temperature remained unchanged throughout the experiments, resistance changes due to viscosity seem unlikely. It is highly improbable that the observed resistance changes were due to the effects of viscosity as influenced by the non-Newtonian character of blood, since both pressures and flow rates were within physiological limits (4).

The electrocardiographic measurements suggested that the decrease in vascular resistance was due to active vasodilatation evoked by changes in the tone of smooth muscle rather than by changes in coronary transmural pressure. Since there was no significant decrease in the time spent by the ventricles in systole (calculated from the QT interval and heart rate), it may be inferred that the extraluminal intramyocardial pressure did not change. With no change in the extraluminal pressure the observed decrease in resistance must have resulted from active vasodilatation. Even though the amount of endotoxin given was less than that used in previous studies, it is likely that because the endotoxin was injected directly into the coronary arteries, the concentration achieved in the myocardium was higher. Endotoxin, therefore, has an effect on the coronary vascular bed.

Gilbert (2) suggests that the effect of endotoxin on resistance within individual vascular beds may be more important than its overall effect on the total peripheral resistance. Studies have been reported on several vascular beds including the liver (5), intestine (6), lung (7), kidney (8), and forelimb (9, 10). These studies indicate that there are two phases of the vascular response to endotoxin--an early, transitory phase of increased resistance and a longer phase of lowered resistance. Contrary to these studies, we were unable to demonstrate an increase in vascular resistance in the early phase. There was a progressive decrease in resistance over the entire 30 minutes of the experiment. Whether the decreased resistance was due to a direct action of the endotoxin on the vascular bed or was secondary to a release of vasoactive substances could not be determined during these experiments. A previous study

reported from this laboratory (11) has shown that slight increases in local serum potassium actively dilate the coronary vascular bed of the dog. There was, however, no detectable change in serum potassium following endotoxin in this study.

It has been suggested (5, 12) that hypotension induced by endotoxin is primarily brought about by a diminished venous return and that calculated total peripheral resistance may even rise following the administration of endotoxin (13). Hinshaw and his associates (14), on the other hand, have demonstrated a significant fall in total peripheral resistance in eviscerated and noneviscerated dogs following the administration of endotoxin. Utilizing a similar technique, the 29 percent fall in total peripheral resistance demonstrated in our experiments is in close agreement with the 23 per cent reduction in total peripheral resistance reported by Hinshaw et al. In both studies control animals demonstrated no significant change in total peripheral resistance. The progressive decrease in the blood level in our oxygenator during studies involving the use of endotoxin indicated that there was a significant amount of vascular pooling. These results indicate that hypotension induced by endotoxin may be brought about by both a peripheral venous pooling of blood with a consequent diminished return to the heart, as well as by a decrease in arteriolar tone.

The impression of Maxwell and his associates (3) that the increased uptake of oxygen by the myocardium was due to decreased blood flow appears to be substantiated by our results. When the blood flow remained unchanged, as in this study, no significant change in the myocardial oxygen uptake was observed.

V. SUMMARY AND CONCLUSIONS

Under the conditions of these experiments (constant coronary blood flow in a beating, non-perfusing heart) the administration of 0.6 mg./kg. of S. typhosa endotoxin directly into the coronary arteries resulted in a progressive decrease in coronary vascular resistance and total peripheral resistance.

The observed decreases in coronary vascular and total peripheral resistances appeared to be due to active vasodilatation.

VI. REFERENCES

1. Thomas, L. The physiological disturbances produced by endotoxins. Ann. Rev. Physiol. 1954, 16, 467.

2. Gilbert, R. P. Mechanisms of the hemodynamic effects of endotoxin. *Physiol. Rev.* 1960, 40, 245.
3. Maxwell, G. M., Castillo, C. A., Crumpton, C. W., Afonso, S., Clifford, J. E., and Rowe, G. G. The effect of the endotoxin (*Serratia marcescens*) upon the systemic, pulmonary, and coronary hemodynamics and metabolism of the intact dog. *J. Lab. and Clin. Med.* 1960, 56, 38.
4. Haynes, R. H. and Burton, A. C. Role of non-Newtonian behavior of blood in hemodynamics. *Amer. J. Physiol.* 1959, 197, 943.
5. MacLean, L. D., Weil, M. H., Spink, W. W., and Visscher, M. B. Canine intestinal and liver weight changes induced by E. coli endotoxin. *Proc. Soc. Exper. Biol. and Med.* 1956, 92, 602.
6. Lillehei, R. C. and MacLean, L. D. The intestinal factor in irreversible endotoxin shock. *Ann. Surg.* 1958, 148, 513.
7. Kuida, H., Hinshaw, L. B.; Gilbert, R. P., and Visscher, M. B. Effect of gram-negative endotoxin on pulmonary circulation. *Amer. J. Physiol.* 1958, 192, 335.
8. Hinshaw, L. B. and Bradley, G. M. Alterations in kidney weight produced by Escherichia coli endotoxin. *Amer. J. Physiol.* 1957, 189, 329.
9. Gilbert, R. P. and Gordon, J. P. Peripheral vascular reactions in experimental shock due to endotoxin. *Clin. Res. Proc.* 1956, 4, 110.
10. Vargas, R. and Beck, L. Effect of endotoxins on vascular reactivity. *Fed. Proc.* 1957, 16, 342.
11. Frohlich, E. D., Scott, J. B., Hardin, R. A., and Haddy, F. J. Effect of cations on coronary vascular resistance. *Clin. Res.* 1961 (in press).
12. MacLean, L. D. and Weil, M. H. Hypotension (shock) in dogs produced by Escherichia coli endotoxin. *Circulation Res.* 1956, 4, 546.

13. Weil, M. H., MacLean, M. D., Visscher, M. B., and Spink, W. W. Studies on the circulatory changes in the dog produced by endotoxin from gram-negative microorganisms. *J. clin. Invest.* 1956, 35, 1191.
14. Hinshaw, L. B., Gilbert, R. P., Kuida, H., and Visscher, M. P. Peripheral resistance changes and blood pooling after endotoxin in eviscerated dogs. *Amer. J. Physiol.* 1958, 195, 631.

Acknowledgement

The authors are grateful to Drs. Francis J. Haddy, Robert A. Hardin, and Thomas R. A. Davis for valuable assistance and suggestions in the preparation of this paper.

DISTRIBUTION LIST OF USAAMRL REPORTS

Project No. FX64-12-001 Environmental Physiology
AGENCY - DEFENSE

No. of
Copies

10 Armed Services Technical Information Agency, Arlington Hall Sta., Arlington Hall, Virginia
AGENCY - US ARMY

1 Aberdeen Proving Ground, Director, US Army Ordnance Human Engineering Laboratories, Aberdeen Proving Ground, Maryland

1 Adjutant General, Department of the Army, Washington 25, D. C., Attn: AGIL

1 Armed Forces Institute of Pathology, 6825 16th Street, N.W., Washington 25, D. C.

6 Army Attaché, Box 79, Navy 120, Fleet Post Office, New York, New York, Attn: Col John C. Cressler, Asst. Army Attaché

1 Brooke Army Medical Center, Physical Medicine Branch, Hqs., AFMC, Fort Sam Houston, Texas, Attn: Capt. Rachel Acers

1 Brooke Army Medical Center, Commandant, Army Medical Service School, Fort Sam Houston, Texas, Attn: Public Relations Branch

1 Brooke General Hospital, Medical Library, Box 151, Fort Sam Houston, Texas

1 Brooke General Hospital, Radioisotope Clinic, Brooke Army Medical Center, Fort Sam Houston, Texas

1 Chief Chemical Officer, Department of the Army, Washington 25, D. C., Attn: OACTM10/SA

1 Chief of Engineers, Department of the Army, Washington 25, D. C., Attn: ENGRD-SE

1 Chief of Ordnance, GMMP, Washington 25, D. C., Attn: Res & Spec. Proj. Section

1 Chief of Life Sciences Division, Office of Chief Research and Development, Room 2D-442, The Pentagon, Washington 25, D. C.

1 Chief Psychiatry and Neurology Consultant, Directorate of Professional Service, Office of The Surgeon General, Department of the Army, Washington 25, D. C., Attn: MIDPD-NP

3 Commanding General, US Army Medical Research and Development Command, Main Navy Building, Washington 25, D. C.

1 Commanding General, I Corps Group, APO 358, San Francisco, California, Attn: Surgeon

1 Commanding General, 7th Logistical Command, APO 612, San Francisco, California, Attn: Surgeon

1 Commanding General, Eighth United States Army, APO 301, San Francisco, California, Attn: Surgeon

1 Commanding General, US Army, Hawaii, APO 957, San Francisco, California, Attn: Surgeon

1 Commanding General, US Army, Japan, APO 343, San Francisco, California, Attn: Surgeon

1 Commanding General, US Army, Ryukyu Islands/IX Corps, APO 331, San Francisco, California, Attn: Surgeon

1 Commander in Chief, US Army, Pacific, APO 958, San Francisco, California, Attn: Surgeon

1 Fitzsimons General Hospital, Medical Technical Library, Denver 30, Colorado

1 Fitzsimons General Hospital, US Army Medical Research and Nutrition Laboratory, Denver 30, Colorado

1 Letterman General Hospital, Medical Library, Presidio, San Francisco, California

1 Madigan General Hospital, Medical Technical Library, Tacoma, Washington

1 Picatinny Arsenal, Commanding Officer, Dover, New Jersey, Attn: QREB-VS3

1 Quartermaster Food and Container Institute, Library Branch, 1819 West Pershing Road, Chicago 9, Illinois

1 Quartermaster Research and Engineer Field Evaluation Agency, Commanding Officer, Fort Lee, Virginia, Attn: Technical Library

1 Quartermaster Research and Engineering Center, Commanding General, Natick, Massachusetts, Attn: Technical Library

1 Redstone Arsenal, Commanding, Redstone Arsenal, Alabama, Attn: QRCW-HI

1 Valley Forge Army Hospital, Commanding Officer, Phoenixville, Pennsylvania, Attn: Library

1 US Army, Alaska, APO 949, Seattle Washington, Attn: Chief Surgeon

2 US Army Chemical Center, Director of Medical Research, Army Chemical Center, Maryland

No. of Copies	US ARMY - CONTINUED
1	US Army Chemical Corps Biological Laboratories, Fort Detrick, Maryland. Attn: Librarian
1	US Army Chemical Research and Development Laboratories, Commanding Officer, Technical Library, Building 330, Army Chemical Center, Maryland. Attn: Librarian
1	US Army Command and General Staff College, Library Services Branch (Archives) Fort Leavenworth, Kansas
1	US Army Dispensary, Springfield Armory, Springfield, Massachusetts
1	US Army Engineer Research and Development Laboratories, Fort Belvoir, Virginia. Attn: Technical Documents Center
1	US Army Environmental Hygiene Agency, Commanding Officer, Army Chemical Center, Maryland
4	US Army Europe, Medical Division Plans and Operations Branch, APO 403, New York, N. Y.
1	US Army Europe, Medical Laboratory, Department of Microbiology, APO 180, US Forces, New York, New York
1	US Army Hospital, Commanding Officer, Fort Lee, Virginia. Attn: Medical Library
1	US Army Infantry Human Research Unit, Director of Research, Post Office, Box 2046, Fort Benning, Georgia, Attn: Library
1	US Army Leadership, Human Research Unit, Library, Post Office Box 787, Presidio of Monterey, California
1	US Army Medical Command, Japan, Medical General Laboratory, (406) APO 343, San Francisco, California, Attn: Colonel Carl F. Tessmer, Commanding
2	US Army Medical Liaison Branch, Office of the Chief Surgeon, Gorgas Hospital, Balboa Heights, Canal Zone
1	US Army Medical Research Unit, Europe, Commanding Officer, APO 180, New York, New York
1	US Army Medical Research Unit, Commanding Officer, Panama Field, Fort Clayton, Canal Zone
1	US Army Medical Research Unit, Commanding Officer, Fort Detrick, Maryland
1	US Army Medical Research Unit, Commanding Officer, Institute for Medical Research, Kuala Lumpur, Malaya
1	US Army Ordnance Arsenal, Frankford, Philadelphia 37, Pennsylvania. Attn: ORDNIA-1734/65-1, Mr. A. Charles Karr
1	US Army Ordnance Tank-Automotive Command, Detroit Arsenal, Center Line, Michigan
1	US Army Research Office, Chief of Research and Development, Department of the Army, Washington 25, D. C., Attn: Scientific Information Branch
1	US Army Signal Research and Development Laboratory, Office of the Commanding Officer, Fort Monmouth, New Jersey, Attn: SIGFM/ADT-E
1	US Army Standardization Group, Canada, Senior US Army Standardization Representative, c/o US Army Attaché, US Embassy, Ottawa, Ontario, Canada, Attn: Colonel Joseph R. Blair, MC, Medical Liaison Officer
1	US Army Transportation Research Command, Fort Eustis, Virginia, Attn: Research Reference Center
1	US Army Tropical Research Medical Laboratory, APO 851, New York, New York
1	US Continental Army Command, Medical Section, Fort Monroe, Virginia
1	Walter Reed Army Institute of Research, Department of Atomic Casualties Studies, Walter Reed Army Medical Research Center, Washington 12, D. C.
3	Walter Reed Army Institute of Research, Director, Walter Reed Army Medical Center, Washington 12, D. C.
1	Walter Reed Army Hospital, Army Audiology and Speech Center, Forest Glen Section, Washington, D. C.
1	Walter Reed Army Medical Center, US Army Medical Service, Historical Unit, Washington 12, D. C., Attn: General Reference and Research Branch
1	Walter Reed Army Medical Center, US Army Prosthetics Research Laboratory, Commanding Officer, Washington 12, D. C.

AGENCY - US NAVY

1 Bureau of Aeronautics, (AE-14) Department of the Navy, Washington 25, D. C.

No. of Copies	US NAVY - CONTINUED
2	Bureau of Medicine and Surgery, Director Research Division, Department of the Navy, Washington 25, D. C.
1	Bureau of Naval Weapons, (PAGE 13) Navy Department, Washington 25, D. C., Attn: Capt. Walton L. Jones, MC, USN
2	Bureau of Yards and Docks, Department of the Navy, Washington 25, D. C., Attn: Code D-440
1	Chief of Naval Air Technical Training, US Naval Air Station, Memphis 75, Tennessee, Attn: Staff Medical Officer
1	Chief of Naval Operations Office, Operations Evaluation Group, (OpOEG) Department of the Navy, Washington 25, D. C.
1	Chief of Naval Air Reserve Training, Staff Medical Officer, US Naval Air Station, Glenview, Illinois
1	Naval Air Material Center, Director, Air Crew Equipment Laboratory, Philadelphia 12, Pennsylvania
1	Naval Medical Research Institute, National Naval Medical Center, Technical Reference Library, Bethesda 14, Maryland
1	Naval Medical Research Laboratory, Technical Library, Code 5111, Box 100, Naval Submarine Base, New London, Connecticut
1	Naval Research, Code 454, Department of the Navy, Washington 25, D. C.
1	Naval Research, Code 498, Special Assistant for Medical and Allied Sciences, Department of the Navy, Washington 25, D. C.
10	Naval Research Branch Office, Commanding Officer, Navy 100, Box 39, Fleet Post Office, New York, New York
1	US Naval Air Development Center, Simulation Branch, NAL, Johnsville, Pennsylvania, Attn: Dr. W. A. Bradley
1	US Naval Air Development Center, Aviation Medical Acceleration Laboratory, Johnsville, Pennsylvania, Attn: Librarian
1	US Naval Civil Engineering Laboratory, Commanding Officer and Director (Code L31), Port Hueneme, California
1	US Naval Medical Neuropsychiatric Research Unit, San Diego 52, California
2	US Naval Missile Center, Commander, Point Mugu, California, Attn: Technical Library
1	US Naval Medical Field Research Laboratory, Commanding Officer, Camp Lejeune, North Carolina, Attn: Librarian
1	US Naval Medical School, Commanding Officer, National Naval Medical Center, Bethesda, Maryland
1	US Naval Ordnance Test Station, Medical Officer (Code 88) Station Hospital, China Lake, California
1	US Naval Radiobiological Defense Laboratory, Commanding Officer and Director (222), San Francisco 24, California
1	US Naval Research Laboratory (Code 5120) Washington 25, D. C.
1	US Naval Research Laboratory (Code 2027) Director, Washington 25, D. C.
2	US Naval School of Aviation Medicine, Director, US Naval Aviation Medical Center - 54, Pensacola, Florida
1	US Naval Supply Research and Development Facility, Clothing and Textile Division, 3rd Avenue and 29th Street, Brooklyn 32, New York, Attn: Library
1	US Naval Weapons Plant, Experimental Diving Unit, Washington 25, D. C.

AGENCY - AIR FORCE

- 1 Air Force Flight Test Center, Human Factors Branch (FTFH), Edwards Air Force Base, California
- AIR RESEARCH AND DEVELOPMENT COMMAND
- 1 Air Research and Development Command, (RD&D) Andrews Air Force Base, Washington 25, D. C.
- 2 Wright Air Development Division, Bio-Acoustics Branch, Wright-Patterson Air Force Base, Ohio, Attn: WAFAS
- 1 Wright Air Development Division, US Air Force, Wright-Patterson Air Force Base, Ohio, Attn: WAFAS (Library)

No. of
Copies

AIR FORCE - CONTINUED

- 1 Aerospace Medical Library, Wright Air Development Division (WADAS) Wright-Patterson Air Force Base, Ohio
- 3 Air Force Command and Control Development Division, Operational Applications Office, (OCCH) Lawrence G. Hanscom Field, Bedford, Massachusetts
- 1 Air Force Director of Research and Technology, US Air Force, Washington 25, D. C.
Attn: AFTRD-HF
- 1 Air Training Command (ATCSC-P) Randolph Air Force Base, Texas
- 2 Arctic Aeroneautical Laboratory, Commander, AFM 731, Seattle, Washington, Attn: Library
- 1 Assistant for Ground Safety, ICS/P, Headquarters, US Air Force, Washington 25, D. C.
- 2 Brooks Air Force School of Aviation Medicine, (SAMSCH-P), Brooks Air Force Base, Texas
- 3 Langley Research Center, National Aeronautics and Space Administration, Langley Field, Virginia, Attn: Librarian
- 1 US Air Force Aerospace Medical Center, (ATC) US Air Force Hospital, Lackland Air Force Base, Texas
- 7 US Army Air Defense Command, Command Surgeon, Ent Air Force Base, Colorado Springs, Colorado
- 1 US Air Force Strategic Air Command, Offutt Air Force Base, Nebraska

GOVERNMENTAL - AGENCIES

- 1 Argonne National Laboratory, 9700 South Cass Avenue, Argonne, Illinois, Attn: Hoylaude D. Young
- 1 Central Intelligence Agency, 2430 E. Street, N.W., Washington D. C., Attn: 1331 R and S Building
- 1 Chief Defense Atomic Support Agency, Washington 25, D. C., Attn: Document Library Br
- 1 Civil Aeromedical Research Institute, Federal Aviation Agency, Post Office Box 1082 Oklahoma City, Oklahoma
- 1 Library of Congress, Science and Technology Division, Washington 25, D. C., Attn: Dr. A. J. Jacobius
- 1 National Institute of Health, Library, Building 10, Room SN118, Bethesda 14, Maryland, Attn: Acquisitions Section
- 1 National Library of Medicine, Washington 25, D. C., Attn: Acquisition Section
- 1 National Institutes of Health, Division of Research Grants, Information Office, Bethesda 14, Maryland
- 1 National Research Council, Division of Medical Sciences, Medical Records, 2101 Constitution Avenue, N.W. Washington 25, D. C.

OTHER AGENCIES

- 1 Arctic Health Research Center, Library, Box 960, Anchorage, Alaska
- 2 Aero-Space Division, Chief, Space Medicine Section, Boeing Airplane Company, Seattle 24, Washington, Attn: Dr. Romeo H. Lowry (Box 19-29)
- 1 Boeing Airplane Company, Library, Wichita Division, Wichita 1, Kansas
- 1 Boeing Airplane Company, Central Medical Library, Box 11-40 Post Office Box 3707, Seattle 24, Washington
- 1 Chrysler Corporation, Box 1118, Engineering Research Department 921, Detroit 31, Michigan
Attn: John Verisce, Engineering Psychologist
- 1 Division of Radiological Health - BNS Department of Health Education and Welfare, Room SC29, South HEW Building, Washington 25, D. C.
- 1 Ford Motor Company, Technical Information Section, Scientific Laboratory, Post Office Box 2053, Dearborn, Michigan
- 1 General Electric Company, Advanced Electronic Center, Cornell University, Ithaca, New York, Attn: Library
- 1 General Electric Company, Technical Military Planning Operation, 735 State St, Santa Barbara, California
- 1 John Crerar Library, 86 East Randolph Street, Chicago 1, Illinois
- 2 Kings County Hospital, Department of Anesthesiology, Brooklyn, New York, Attn: Dr. S. W. Weitzner

No. of
Copies

OTHER AGENCIES - CONTINUED

- 1 Lankenau Hospital, Division of Research, Lancaster and City Line Avenue, Philadelphia 31, Pennsylvania
- 1 Mayo Clinic, Rochester, Minnesota, Attn: Dr. Kenneth N. Cagle, Section of Biophysics
- 1 Mercy Hospital, Anesthesia Research Laboratory, Pittsburgh 19, Pennsylvania
- 7 National Aeronautics and Space Administration, 1520 H. Street, N. W., Washington 25, D. C., Attn: Bertram A. Mulcahy, Assistant Director for Technical Information
- 1 Bend Corporation, 1700 Main Street, Santa Monica, California, Attn: Library
- 1 Space Technology Laboratories, Subcommittee on Noise, 227 South Alvarado Street, Los Angeles 37, California
- 1 System Research Center, Lockheed Electronics Company, Post Office Box 37, Bedminster, New Jersey, Attn: Mr. Robert E. Weber
- 1 Yerkes Laboratories of Primate Biology, Incorporated, Orange Park, Florida, Attn: A. J. Biopelle

MEDICAL COLLEGE/SCHOOL LIBRARIES AND DEPARTMENTS

- 1 Albany Medical College Library, New Scotland Avenue, Albany 8, New York
- 1 Bowen Gray, School of Medicine Library, Winston-Salem, North Carolina
- 1 Brown University, Providence 12, Rhode Island, Attn: Professor Lorin A. Biggs
- 1 Brown University, Providence 12, Rhode Island, Attn: Prof. Harold Schlossberg, Consultant
- 1 College of Medical Evangelists, White Memorial Medical Library, 1720 Brooklyn Avenue, Los Angeles 33, California
- 1 College of Medical Evangelists, Vernier Padcliffe Memorial Library, Long Beach, California
- 1 College of Physicians of Philadelphia, Library, 19 South 22nd Street, Philadelphia 3, Pennsylvania
- 1 Columbia University, Department of Psychology, New York 27, New York, Attn: Dr. C. H. Graham
- 1 Columbia University Medical Library, 630 West 168th Street, New York 32, New York
- 1 Cornell University Medical College Library, 1300 York Avenue, New York 21, New York
- 1 Creighton University, Medical-Pharmacy Library, 1401 Davenport, Omaha 2, Nebraska
- 1 Dartmouth College Medical Library, Baker Building, Hanover, New Hampshire
- 1 Emory University, Department of Psychology, Atlanta 22, Georgia, Attn: Dr. Earl A. Alluisi
- 1 Florida State University, Department Psychology, Tallahassee, Florida, Attn: Dr. Wm. W. Dawson
- 2 George Washington University, Human Resources Research Office, P.O. Box 3596, Washington 7, D. C., Attn: Library
- 1 Harvard Medical Library, 25 Shattuck Street, Boston 15, Massachusetts, Attn: Librarian
- 1 Harvard School of Public Health, Department of Epidemiology, 1 Shattuck Street, Boston 15, Massachusetts
- 1 Indiana University, Department of Psychology, Bloomington, Indiana, Attn: Dr. R. C. Davis
- 1 Indiana University Medical Center, School of Medicine Library, 1100 West Michigan Street, Indianapolis 7, Indiana, Attn: Librarian
- 1 Indiana University Medical Center, 1100 West Michigan Street, Indianapolis, Indiana, Attn: Dr. Harris B. Shwartz, Jr., Prof. of Surgery
- 1 Indiana University, Anatomy-Physiology Department, Bloomington, Indiana, Attn: Dr. Sid Robinson
- 1 Jefferson Medical College Library, 1023 Walnut Street, Philadelphia 7, Pennsylvania
- 1 Johns Hopkins University, Welch Medical Library, 1900 F. Monument Street, Baltimore 6, Maryland, Attn: Librarian
- 1 Kansas State University, Department of Psychology, Manhattan, Kansas, Attn: Dr. William Bevan, Chairman
- 1 Marquette University, Medical Dental Library, 560 North 16th Street, Milwaukee 3, Wisconsin, Attn: Librarian
- 1 Medical College of Virginia, Tompkins-McCaw Library, Richmond 19, Virginia, Attn: Librarian

No. of
Copies

MEDICAL COLLEGE/SCHOOL LIBRARIES AND DEPARTMENTS - CONTINUED

- 1 New York Academy of Medicine, Library, 2 East 103rd Street, New York 29, New York
- 1 New York University, College of Engineering, Research Division, 252 Seventh Avenue, New York 1, New York, Attn: Associate Project Director
- 1 New York University Medical Center, Medical Library, 550 First Avenue, New York 18, New York
- 1 Northwestern University, Department of Psychology, Evanston, Illinois, Attn: William A. Hunt
- 1 Northwestern University Medical School, Archibald Church Library, 303 E. Chicago Avenue, Chicago 11, Illinois, Attn: Librarian
- 1 Ohio State University, The Chemical Abstracts Service, Columbus 10, Ohio
- 1 Ohio State University, Research Center, Psycholinguistics Laboratory, 1314 Kinnear Road, Columbus 12, Ohio
- 1 Ohio State University, Topaz Library, School of Optometry, 238 West 10th Avenue, Columbus 10, Ohio
- 1 Rush Medical College Library, 1758 West Harrison Street, Chicago 12, Illinois
- 1 Stanford University, Lane Medical Library, 300 Pasteur Road, Palo Alto, California
- 1 Stanford University, Department of Physiology, Stanford, California, Attn: J. M. Crismon, M. D.
- 1 St. Louis University, Medical School Library, 1402 South Grand Blvd, St. Louis 4, Mo.
- 1 State University of Iowa, College of Medicine Library, Medical Laboratories Building, Iowa City, Iowa
- 1 State University of New York, Downstate Medical Center, Department of Anesthesiology, 450 Clarkson Avenue, Brooklyn 3, New York
- 1 State University of New York, Downstate Medical Center, Medical Library, 450 Clarkson Avenue, Brooklyn 3, New York, Attn: Librarian
- 1 Texas Medical Center Library, Jesse H. Jones Library Building, Houston 25, Texas
- 1 Tufts University Institute for Applied Experimental Psychology, Neaford, Massachusetts
- 1 Tulane University School of Medicine, 1433 Tulane Avenue, New Orleans 12, Louisiana, Attn: Dr. G. E. Purch, Professor of Medicine
- 1 Vanderbilt University School of Medicine, Nashville 5, Tennessee, Attn: Dr. George R. Meneely, Director, Radioisotope Center
- 1 West Virginia University, Medical Center Library, Morgantown, West Virginia
- 1 University of Alabama, 1919 Seventh Avenue South, Birmingham 3, Alabama
- 1 University of Arkansas, Medical Center Library, 4301 West Markham, Little Rock, Arkansas
- 1 University of Buffalo, Health Sciences Library, Buffalo 14, New York, Attn: Librarian
- 1 University of Buffalo, Department of Psychology, Buffalo 14, New York
- 1 University of California Medical Center, Biomedical Library, Los Angeles 24, California
- 1 University of California 1301 South 45th Street, Richmond 4, California, Attn: Civil Defense Research Project
- 1 University of Chicago, U.S. Air Force Radiation Laboratory, 930 S 58th Street, Chicago 37, Illinois
- 1 University of Cincinnati, Kettering Laboratory, Eden and Bethesda Avenues, Cincinnati 19, Ohio
- 1 University of Florida, College of Medicine, Department of Physiology, Gainesville, Florida, Attn: Dr. Melvin J. Fregly
- 2 University of Illinois, Aeromedical Laboratory, 840 S. Wood Street, Chicago 12, Illinois
- 1 University of Illinois, Training Research Laboratory, Department of Psychology 45 Lincoln Hall, Urbana, Illinois, Attn: Lawrence W. Stolzow
- 1 University of Illinois, Documents Division Library, Urbana, Illinois
- 1 University of Kansas Medical Center, Clendening Medical Library, Kansas City 12, Kansas
- 3 University of Louisville, School of Medicine Library, 101 W. Chestnut Street, Louisville 2, Kentucky
- 1 University of Maryland, Health Sciences Library, Serials Department, 111 South Greene Street, Baltimore 1, Maryland
- 1 University of Michigan, Serials and Documents Section, General Library, Ann Arbor, Michigan

No. of Copies	MEDICAL COLLEGE/SCHOOL LIBRARIES AND DEPARTMENTS - CONTINUED
1	University of Minnesota Library, Serials Division, Minneapolis 14, Minnesota
1	University of Missouri, Medical Library, Room W210 Medical Sciences Building, Columbia, Missouri
1	University of Nebraska, College of Medicine Library, 42nd and Dewey Avenue, Omaha 5, Nebraska
1	University of North Carolina, Division of Health Affairs Library, North Carolina Memorial Hospital, Chapel Hill, North Carolina
1	University of North Carolina, Department of Medicine, Physiology and Environmental Medicine, Chapel Hill, North Carolina, Attn: Dr. Richard L. Dotson
1	University of North Carolina, Department of Physiology, School of Medicine, Chapel Hill, North Carolina, Attn: A. T. Viller, Jr.
1	University of Oklahoma Medical Center Library, 801 N. E. 13th Street, Oklahoma City 4, Oklahoma
1	University of Oregon, Medical School Library, Portland 1, Oregon, Attn: Librarian
1	University of Pittsburgh, Folk Library, of The Health Professions, Pittsburgh, Pa
1	University of Pittsburgh, Graduate School of Public Health, Pittsburgh 13, Pennsylvania
1	University of Rochester, Atomic Energy Project, Technical Report Control Unit, P.O. Box 287, Station 3, Rochester 20, New York
1	University of Rochester, School of Dentistry, 260 Crittenden Boulevard, Rochester, New York, Attn: James A. DeWeese
1	University of Rochester, Strong Memorial Hospital, 260 Crittenden Boulevard, Rochester, New York Attn: Dr. Herman E. Pearse, Prof. of Surgery
2	University of Southern California, School of Medicine Library, 2025 Zonal Avenue, Los Angeles 39, California, Attn: Dr. Vilas Proctor
1	University of South Dakota, Medical Library, Vermillion, South Dakota
1	University of Tennessee, College of Medicine, Clinical Physiology, Institute of Clinical Investigation, 62 South Dunlap, Memphis 3, Tennessee
1	University of Tennessee, Medical Units, Wooley Memorial Library, 62 South Dunlap, Memphis 3 Tennessee, Attn: Librarian
1	University of Tennessee, Department of Bacteriology, Knoxville, Tennessee, Attn: Dr. D. Frank Holtman
1	University of Tennessee, Department of Microbiology, 856 Madison Avenue, Knoxville, Tennessee, Attn: Dr. Fay C. Komack
1	University of Texas, Medical Branch Library, Galveston, Texas, Attn: Librarian
1	University of Utah, Medical Library, Salt Lake City 12, Utah
1	University of Virginia, Psychological Laboratory, Peabody Hall Charlottesville, Virginia
1	University of Vermont, College of Medicine Library, Burlington, Vermont
1	University of Washington, Health Sciences Library, Seattle 5, Washington, Attn: Librarian
1	University of Wisconsin, Medical School Library, SWI Bldg. N. Charter St. Madison 6, Wis
1	University of Wisconsin, Psychological Abstracts, 600 N. Park Street, Madison 6, Wis

FOREIGN

- 1 British Navy Staff Office, Army Medical Liaison Officer, Benjamin Franklin Station, Post Office Box 165, Washington, D. C., Attn: F. P. Ellis, Surgeon Captain, Royal Navy
- 1 British Army Medical Liaison Officer, British Army Staff, British Embassy, Washington 8, D. C., Attn: Colonel Reid
- 10 Canadian Liaison Officer, Office of The Surgeon General, US Army, Room 1709A, Main Navy Building, Washington 25, D. C., Attn: E. L. P. Prosser
- 2 Defence Research Board, Canadian Joint Staff, 2450 Massachusetts Avenue N.W., Washington 8, D. C.
- 1 German Military Attaché, German Federal Ministry of Defense, Washington, D. C.
- 1 Instituto de Ciencias Fisiológicas, Av. Gral. Flores 2125, Montevideo, Uruguay, Attn: Professor Dr. D. Bennati, Director
- 1 Karolinska Institutet, Department of Histology, Stockholm 60, Sweden, Attn: Dr. Jan Mersall
- 1 Laboratoire de Pathologie et Therapeutique Generales, 32 Boulevard de la Constitution, Liege, Belgium, Attn: Professeur Z. M. Brugq

No. of
Copies

FOREIGN - CONTINUED

- 1 Oxford University, Department of Human Anatomy, South Parks Road, Oxford England. Attn: Dr. A. R. Lind
- 1 Office of The United States Army Attaché, American Embassy, The Foreign Services of The United States of America, London, England. Attn: Assistant Army Attaché (Medical)
- 1 Royal Society of Medicine Library, 1, Wimpole Street, London W.I., England
- 1 Universita Di Pisa, Institute of Physiology, Pisa, Italy. Attn: Professor Giuseppe Moruzzi.
- 2 University of Western Ontario, Department of Biophysics, Medical School, South Street, London, Ontario, Canada. Attn: Dr. Allen C. Burton
- 1 University of Western Ontario, Medical School, Department of Physiology, London, Ontario, Canada. Attn: Professor J. A. F. Stevenson

tution.

Reference No. 484-12701. Unclassified
Army Medical Research & Material Command, Fort Knox, Ky.
Project No. 484-12701. Unclassified
S. L. E. Scott, and C. C. Hicks
Report No. 484-12701-3 illus.
Report No. 484-12701. Unclassified
Report No. 484-12701. Unclassified

The effect of S. typhosa endotoxin on the coronary vascular bed as manifested in the heart, lung, and liver, of a dog heart receiving a constant coronary blood flow. The endotoxin was injected directly into the coronary arteries. There was a progressive increase in coronary vascular resistance and total peripheral resistance. The observed decreases in resistance to blood flow appeared to be due to arterio venous fistulas.

UNCLASSIFIED	ASSISTANT NO.	UNCLASSIFIED
1. Coronary Circulation	AS 111111	1. Coronary Circulation
2. Effect of Endotoxin	AS 111112	2. Effect of Endotoxin
3. Hemodynamics	AS 111113	3. Hemodynamics
		Report No. 484-12701-3 illus. Report No. 484-12701. Unclassified Report No. 484-12701. Unclassified
		The effect of S. typhosa endotoxin on the coronary vascular bed as manifested in the heart, lung, and liver, of a dog heart receiving a constant coronary blood flow. The endotoxin was injected directly into the coronary arteries. There was a progressive decrease in coronary vascular resistance and total peripheral resistance. The observed decreases in resistance to blood flow appeared to be due to arterio venous fistulas.